

PRODUCT-DETAILS

DG/S2.64.5.1

DG/S2.64.5.1 DALI Gateway, Premium, 2-fold, MDRC



Ogólne informacje

Extended Product Type	DG/S2.64.5.1
ID Produktu	2CDG110274R0011
Numer EAN	4016779067218
Opis katalogowy	DG/S2.64.5.1 DALI Gateway, Premium, 2-fold, MDRC

Opis

For controlling DALI devices via the ABB i-bus® KNX. Two DALI outputs for up to 2 x 64 DALI slaves. DALI power supply is integrated. Control and status feedback is carried out via KNX per DALI slave (2 x 64), with lighting groups (2 x 16), together in broadcast or per scenes (2 x 16). DALI devices type DT1 (Self-contained emergency converter acc. EN 62386-202) and type DT8 (colour temperature Tc / tunable white acc. EN 62386-209) will be supported. Extensive fault and error messages are available. By means of KNX and DT1 converter different emergency tests (e.g. function and duration test) can be triggered, test results are transferred back to KNX. With DT8 devices Dim2Warm, HCL, set and dim colour temperature are possible. Slave-, staircase-, force-, block- and scene- function are integrated. Feedback is sent. DALI telegram rate can change. For diagnostic use and individual change of the DALI address or group assignment a separate Software-Tool is available.

Charakterystyka zamówienia

Numer EAN	4016779067218
Kod taryfy celnej	85176200
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	405670335
E-Number (Finland)	2814676
E-Number (Sweden)	1739867

Wymiary

Głębokość produktu netto	63.5 mm
Wysokość produktu netto	90 mm
Szerokość produktu netto	72 mm
Waga produktu netto	0.15 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
EAN opakowania (poziom 1)	4016779067218
Długość opakowania (poziom 1)	77 mm
Wysokość opakowania (poziom 1)	65 mm
Szerokość opakowania (poziom 1)	92 mm
Waga opakowania brutto (poziom 1)	0.19 kg

Dane techniczne

Compatible Bus Systems	DALI KNX (TP)
Stopień ochrony obudowy	IP20
Rodzaj montażu	DIN-rail

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CDC507175D0211
Instrukcje i podręczniki	2CDG941225P0002
Deklaracja zgodności - CE	2CDK507179D2701
Dane RoHS	2CDK507179D2701

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC001099 - System interface/media gateway for bus system
ETIM 6	EC001099 - System interface/media gateway for bus system
ETIM 7	EC001099 - System interface/media gateway for bus system
eClass	V11.0 : 27143136
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	43222605
IDEA Granular Category Code (IGCC)	6809 >> System interface/media gateway for bus system

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Lighting Control → DALI Gateways and Light Controllers

