

PRODUCT-DETAILS

HS/S 4.2.1

HS/S4.2.1 Outside Light Sensor Interface, MDRC



General Information

Extended Product Type	HS/S 4.2.1
Product ID	2CDG120044R0011
EAN	4016779906722
Catalog Description	HS/S4.2.1 Outside Light Sensor Interface, MDRC
Long Description	The device can be used as a twilight switch (1 ... 100 lux) or as a light value switch (100 ... 20.000 lux). One Outside Light Sensor LFO/A 1.1 is supplied with the device.

Ordering

EAN	4016779906722
Customs Tariff Number	85389091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405461105
E-Number (Finland)	2815442
E-Number (Sweden)	1738424

Dimensions

Product Net Depth / Length	70 mm
Product Net Height	90 mm
Product Net Width	53 mm
Product Net Weight	0.187 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779906722
Package Level 1 Depth / Length	102 mm
Package Level 1 Height	102 mm
Package Level 1 Width	110 mm
Package Level 1 Gross Weight	0.243 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail
Screen Size	2 in

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC507131D0202
Instructions and Manuals	2CDG941107P0002
Declaration of Conformity - CE	2CDK507148D2701
RoHS Information	2CDK507148D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC000927 - Brightness sensor for bus system
ETIM 6	EC000927 - Brightness sensor for bus system
ETIM 7	EC000927 - Brightness sensor for bus system
eClass	V11.0 : 27143111
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Lighting Control → Light Level Sensors

