

PRODUCT-DETAILS

BCM/S16.1.1

BCM/S16.1.1 BAC Module, 16 Digital Inputs/Outputs, 24 V, 0.5 A



General Information

Extended Product Type	BCM/S16.1.1
Product ID	2CDG120064R0011
EAN	4016779064422
Catalog Description	BCM/S16.1.1 BAC Module, 16 Digital Inputs/Outputs, 24 V, 0.5 A
Long Description	Extension module for the BAC/S Building Automation Controller KNX with 16 switchable digital inputs or outputs for 24V DC. The electronic transistor outputs switch 0.5 A. Connection of the cables via pluggable spring terminals.

Ordering

EAN	4016779064422
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405590025
E-Number (Finland)	2814620
E-Number (Sweden)	1739818

Dimensions

Product Net Depth / Length	74 mm
Product Net Height	135 mm
Product Net Width	34 mm
Product Net Weight	0.19 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779064422
Package Level 1 Depth / Length	65 mm
Package Level 1 Height	95 mm
Package Level 1 Width	175 mm
Package Level 1 Gross Weight	0.23 kg

Technical

Compatible Bus Systems	KNX (IP) Modbus Other KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail Surface Mounted

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A7502
Instructions and Manuals	9AKK107046A7502
Declaration of Conformity - CE	9AKK107046A7502
RoHS Information	NoDecNee

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Classifications

ETIM 5	EC001419 - PLC digital I/O-module
ETIM 6	EC001419 - PLC digital I/O-module
ETIM 7	EC001419 - PLC digital I/O-module
eClass	V11.0 : 27242204
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Heating, Ventilation and Air Conditioning → Central HVAC Controllers

