

PRODUCT-DETAILS

BCM/S6.5.5.1

BCM/S6.5.5.1 BAC Module, 4 Analogue Inputs and 2 Analogue Outputs



General Information

Extended Product Type	BCM/S6.5.5.1
Product ID	2CDG120067R0011
EAN	4016779064453
Catalog Description	BCM/S6.5.5.1 BAC Module, 4 Analogue Inputs and 2 Analogue Outputs
Long Description	Extension module for the BAC/S Building Automation Controller KNX with 4 analog inputs and 2 analog outputs. The inputs and outputs support voltage signals from 0 V ... + 10 V, 0 V ... + 5 V, -2.5 V ... + 2.5 V and -5 V ... + 5 V as well as current signals of 0 mA ... 20 mA and 4 mA ... 20 mA. Connection of the cables via pluggable spring terminals.

Ordering

EAN	4016779064453
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405630005
E-Number (Finland)	2814623
E-Number (Sweden)	1739821

Dimensions

Product Net Depth / Length	74 mm
Product Net Height	135 mm

Product Net Width	34 mm
Product Net Weight	0.18 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779064453
Package Level 1 Depth / Length	65 mm
Package Level 1 Height	95 mm
Package Level 1 Width	175 mm
Package Level 1 Gross Weight	0.22 kg

Technical

Compatible Bus Systems	KNX (IP) Modbus Other KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail Surface Mounted

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A7504
Instructions and Manuals	9AKK107046A7504
Declaration of Conformity - CE	9AKK107046A7504
RoHS Information	NoDecNee

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Classifications

ETIM 5	EC001420 - PLC analogue I/O-module
ETIM 6	EC001420 - PLC analogue I/O-module
ETIM 7	EC001420 - PLC analogue I/O-module
eClass	V11.0 : 27242201
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Heating, Ventilation and Air Conditioning → Central HVAC Controllers

