


PRODUCT-DETAILS

MC-C1.1

MC-C1.1 Rolling Door Reed Contact,Gr. 2



General Information

Extended Product Type	MC-C1.1
Product ID	2CDG250006R0011
EAN	4016779067300
Catalog Description	MC-C1.1 Rolling Door Reed Contact,Gr. 2
Long Description	The reed contact for rolling doors is mounted mainly on rolling, sliding and tilting doors. The contact housing is mounted on the ground (a flat support surface is required). Only screws made of anti-magnetic material are allowed to be used for mounting. Due to the weatherproof and mechanically stable design of the contact housing, the circuit is largely protected against damage when rubber-tired vehicles drive over it. The 4-wire cable is protected by a plastic-coated metal hose.

Ordering

EAN	4016779067300
Customs Tariff Number	85365011
Minimum Order Quantity	1 piece

Dimensions

Product Net Depth / Length	146 mm
Product Net Height	16.5 mm
Product Net Width	50 mm
Product Net Weight	0.29 kg

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 EAN	4016779067300
Package Level 1 Depth / Length	280 mm
Package Level 1 Height	40 mm
Package Level 1 Width	200 mm
Package Level 1 Gross Weight	0.3 kg

Technical

Degree of Protection	IP67
Mounting Type	Surface Mounted

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC513083D0211
Instructions and Manuals	2CDG941218P0001
Declaration of Conformity - CE	2CDK513086D2701
RoHS Information	2CDK513086D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC001761 - Opening detector for intrusion detection system
ETIM 6	EC001761 - Opening detector for intrusion detection system
ETIM 7	EC001761 - Opening detector for intrusion detection system
eClass	V7.0 : 27399209
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Home and Building Automation → Intrusion Alarm Systems → Conventional → Magnetic Contact

