


PRODUCT-DETAILS

PS1/60/6-KNX

PS 1/60/6-KNX Busbar, 1 Phase, 60 Contacts



Ogólne informacje

Extended Product Type	PS1/60/6-KNX
ID Produktu	2CDG924004R0011
Numer EAN	4016779667593
Opis katalogowy	PS 1/60/6-KNX Busbar, 1 Phase, 60 Contacts
Opis	The busbars reduce the wiring effort for ABB i-bus® modular installation devices. Different load circuits can be supplied from a common source using the busbar. The busbars are suitable for 6 sqmm terminals in the ABB i-bus® range, such as those installed in the 10 A and 16 A SA/S ABB i-bus® Switch Actuators, Switch/Dim Actuators SD/S x.16.1 or Light Controller LR/S 4.16.1.

Charakterystyka zamówienia

Numer EAN	4016779667593
Kod taryfy celnej	85444995
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	405950315
E-Number (Finland)	2815394
E-Number (Sweden)	1750083

Wymiary

Głębokość produktu netto	10.5 mm
Wysokość produktu netto	16 mm
Szerokość produktu netto	1037 mm
Waga produktu netto	0.1 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	roll 1 sztuka
EAN opakowania (poziom 1)	4016779667593
Długość opakowania (poziom 1)	1250 mm
Wysokość opakowania (poziom 1)	55 mm
Szerokość opakowania (poziom 1)	55 mm
Waga opakowania brutto (poziom 1)	0.11 kg

Dane techniczne

Rodzaj montażu	Accessory
----------------	-----------

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CDC503030D0201
Instrukcje i podręczniki	2CDC503030D0201
Deklaracja zgodności - CE	2CDK503006D2702
Dane RoHS	2CDK503006D2702

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC000215 - Phase busbar
ETIM 6	EC000215 - Phase busbar
ETIM 7	EC000215 - Phase busbar
eClass	V11.0 : 27371306
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
UNSPSC	39121117
IDEA Granular Category Code (IGCC)	4375 >> Buss bar

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Connection and Wiring → Bus Bars and Wiring Jumpers

