

PRODUCT-DETAILS

PS2/48/16H

PS2/48/16H - Busbar



General Information

Extended Product Type	PS2/48/16H
Product ID	2CDL220001R1648
EAN	4016779556545
Catalog Description	PS2/48/16H - Busbar
Long Description	PS 2/48/16H Busbar

Ordering

E-Number (Finland)	3259609
E-Number (Sweden)	2102553
EAN	4016779556545
Minimum Order Quantity	1 piece
Customs Tariff Number	85369010

Dimensions

Product Net Width	18 mm
Product Net Height	30.3 mm
Product Net Length	1046 mm
Product Net Depth / Length	1046 mm
Product Net Weight	0.48 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	80 mm
Package Level 1 Height	80 mm
Package Level 1 Depth / Length	1070 mm
Package Level 1 Gross Weight	5.02 kg

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information

Accessory Type	Busbar
Color	Grey
Housing Material	Light grey, RAL 7035
Mounting Position	Any
Number of Phases	2
Options Provided	H
Overvoltage Category	III
Pollution Degree	2
Product Main Type	PS
Product Name	Busbar
Rated Cross-Section	16 mm ²
Rated Frequency (f)	50 Hz 60 Hz DC
RoHS Date	20170228
Standards	IEC/EN 60947-1
Suitable For	S200 F200 DDA200
Suitable for Product Class	2-pole devices + auxiliary contact Residual Current Circuit Breakers Residual Current Circuit Breakers with Overcurrent Protection

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK106930A8017
Declaration of Conformity - CE	2CDK446006D0403
Environmental Information	DIN EN 60068
Instructions and Manuals	2CSC400002D0208
RoHS Information	2CDK440009K0203

Classifications

ETIM 4	EC000215 - Phase busbar
ETIM 5	EC000215 - Phase busbar
ETIM 6	EC000215 - Phase busbar
ETIM 7	EC000215 - Phase busbar
Object Classification	W

Code	
UNSPSC	39121614
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.0 : 27371306

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Busbars and Accessories (IEC Range)

