

PRODUCT-DETAILS

0209-507

0209-507 Modular-Jack insert Cat. 6 non-shielded, 8 (8)-pole



Ogólne informacje

Extended Product Type	0209-507
ID Produktu	2CKA000225A0154
Numer EAN	4011395159439
Opis katalogowy	0209-507 Modular-Jack insert Cat. 6 non-shielded, 8 (8)-pole
Opis	For cover plate 2561-xxx, 2561-02-xxx and insert 1812, 1866 built-in, 1867 built-in. For conductor cross-sections of 0.12 mm ² (AWG 26) to 0.35 mm ² (AWG 22).

Charakterystyka zamówienia

Numer EAN	4011395159439
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85389099

Wymiary

Waga produktu netto	0.013 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
---------------------------------	----------

Szerokość opakowania (poziom 1)	0.09 m
Wysokość opakowania (poziom 1)	0.02 m
Długość opakowania (poziom 1)	0.1 m
Waga opakowania brutto (poziom 1)	13 g
EAN opakowania (poziom 1)	4011395159439
Jednostka opakowania (poziom 2)	10 sztuka
Szerokość opakowania (poziom 2)	0.18 m
Wysokość opakowania (poziom 2)	0.03 m
Długość opakowania (poziom 2)	0.265 m
Waga opakowania brutto (poziom 2)	131 g

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Brand / Label	Busch-Jaeger
Rodzaj montażu	Flush Mounted
Typ produktu	Modular-Jack insert
Nazwa produktu	Modular-Jack insert Cat. 6 non-shielded, 8 (8)-pole
Product Range	carat®
ID produktu zastąpionego	0225-0-0154
Data RoHS	20110908

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E0003
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC001264 - Data communication connection box copper (twisted pair)
ETIM 6	EC001264 - Data communication connection box copper (twisted pair)
ETIM 7	EC001264 - Data communication connection box copper (twisted pair)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector Inserts

