


PRODUCT-DETAILS

0219/12

0219/12 Flush-mounted assembly adapter



Ogólne informacje

Extended Product Type	0219/12
ID Produktu	2CKA000230A0395
Numer EAN	4011395117125
Opis katalogowy	0219/12 Flush-mounted assembly adapter
Opis	For the accommodation of one or two universal modules 0219. For flush-mounted installation. Suitable for telephone connection unit cover plates 2539-21x and 1766-xxx.

Charakterystyka zamówienia

Numer EAN	4011395117125
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85389099

Wymiary

Waga produktu netto	0.04 kg
---------------------	---------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
Szerokość opakowania (poziom 1)	0.08 m
Wysokość opakowania (poziom 1)	0.015 m
Długość opakowania (poziom 1)	0.142 m
Waga opakowania brutto (poziom 1)	43 g
EAN opakowania (poziom 1)	4011395117125
Jednostka opakowania (poziom 2)	10 sztuka
Szerokość opakowania (poziom 2)	0.083 m
Wysokość opakowania (poziom 2)	0.083 m
Długość opakowania (poziom 2)	0.142 m
Waga opakowania brutto (poziom 2)	430 g

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Brand / Label	Busch-Jaeger
Materiał	Metal
Rodzaj montażu	Flush Mounted
Typ produktu	Flush-mounted assembly adapter
Nazwa produktu	Flush-mounted assembly adapter
Product Range	Flush-mounted installation boxes and inserts
ID produktu zastąpionego	0230-0-0395
Data RoHS	20080425
Surface Finishing	Surface protection: Sand-cast Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E0018
Instrukcje i podręczniki	DEBJE-0073_1_7188
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → RJ45 Connector Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector Inserts

