

PRODUCT-DETAILS

# 0221/12-507

0221/12-507 Universal data connection unit, RJ45, Cat. 6e, unshielded, with down-leading outlet 2 x outlets, 8/8-pole



Extended Product Type	0221/12-507
Product ID	2CKA000230A0400
EAN	4011395118344
Catalog Description	0221/12-507 Universal data connection unit, RJ45, Cat. 6e, unshielded, with down leading outlet 2 x outlets, 8/8-pole
Long Description	With down-leading outlet and LSA self-cutting clamps. Cat. 6 according to DIN EN 50173-1:2003-06, ISO/IEC 1180:2002, and TIA/EIA-568-B.2:2002. Cat. 6a (Category 6 augmented ) in accordance with TIA/EIA-TR 42.7. Marking in accordance with EIA/TIA 568 A and B. Design according to IEC 60 603-7-2:2007. Up to 250 MHz on all pairs of wires. Suitable for 10-Gigabit Ethernet. With claw

4011395118344
1 piece
85366990

Container Information	
Package Level 1 Units	10 piece

Package Level 1 Width	0.17 m
Package Level 1 Height	0.105 m
Package Level 1 Depth / Length	0.3 m
Package Level 1 Gross Weight	640 g

#### **Environmental**

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

### **Additional Information**

Brand / Label	Busch-Jaeger
Connection Type	LSA
Mounting Type	Flush Mounted
Product Main Type	Universal data connection unit, RJ45, Cat. 6e, unshielded, with down- leading outlet
Product Name	Universal data connection unit, RJ45, Cat. 6e, unshielded, with down- leading outlet 2 x outlets, 8/8-pole
Product Range	alpha bs®
Replaced Product ID (OLD)	0230-0-0400
RoHS Date	20080711

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E4214
Instructions and	DEBJE-0073_1_7190
Manuals	
RoHS Information	9AKK104295D8727

## Classifications

ETIM 5	EC001264 - Data communication connection box copper (twisted pair)
ETIM 6	EC001264 - Data communication connection box copper (twisted pair)
ETIM 7	EC001264 - Data communication connection box copper (twisted pair)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

0221/12-507

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55\ \to\ Design\ Basic\ 55\ \to\ Flush\ Mounted\ Inserts\ \to\ R345\ Connector\ Inserts$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Allwetter 44 (IP 44)  $\rightarrow$  Flush Mounted Inserts  $\rightarrow$  RJ45 Connector Inserts

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Alpha\ \to\ Flush\ Mounted\ Inserts\ \to\ R345\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \rightarrow\ Design\ Busch-Balance\ SI\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ RJ45\ Connector\ Inserts$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Busch-Dynasty  $\rightarrow$  Flush Mounted Inserts  $\rightarrow$  RJ45 Connector Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Impuls \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow R345\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow VDI\ -\ Voice\ /\ Data\ /\ Image\ Connectors \rightarrow RJ45\ Connector\ \rightarrow\ RJ45\ Connector\ -\ Flush\ Mounted\ \rightarrow\ RJ45\ Connector\ Inserts$ 

