

PRODUCT-DETAILS

0219-101-507

0219-101-507 Universal module, RJ 45, cat. 6a iso, shielded 1gang



General Information	
Extended Product Type	0219-101-507
Product ID	2CKA000230A0414
EAN	4011395163917
Catalog Description	0219-101-507 Universal module, RJ 45, cat. 6a iso, shielded 1gang
Long Description	For installation in installation adapter 0219/12 or 0219/13. Also suited for mounting into cover plate 2561-xxx, 2564-02-xxx and bases 1812, 1866 EB, and 1867 EB. RJ-45 terminals for networks according to Cat 6A, Class EA (10 Gbits/s / 500MHz). Equates to cat. 6a, Class EA according to ISO/IEC 11801:2011-06. Cat. 6A according to ISO/IEC 11801: 2011-06. Terminal marking A and B according to TIA/EIA-568-B.2. Typ according to EN 60 603-7-51:2011-01. Shielding according to DIN EN 55022, Class B. Suitable for PoE+ according to IEEE 802.3at, >- 1.000 contact durability. Bend-radius optimised cable feed (30°). Earthing of housing via 6,3 mm blade terminal at the back possible. Re-embedded proofed. Suitable for Mix-and-Match operation. For 8-pole plug RJ 45 only. Housing made from diecast zinc. With integrated dust-protection cap (can be removed if necessary). With insulation displacement connection For data cables with a diameter of 6 -10 mm. For wires of AWG 24-22. For trunk systems, flush-mounted wall boxes and underfloor systems.

Ordering	
EAN	4011395163917
Minimum Order Quantity	1 piece
Customs Tariff Number	85369010

Dimensions

Product Net Weight 0.03 kg

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	0.06 m
Package Level 1 Height	0.085 m
Package Level 1 Depth / Length	0.085 m
Package Level 1 Gross Weight	30 g
Package Level 1 EAN	4011395163917
Package Level 2 Units	10 piece
Package Level 2 Width	0.12 m
Package Level 2 Height	0.045 m
Package Level 2 Depth / Length	0.14 m
Package Level 2 Gross Weight	387 g

Environmental

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Brand / Label	Busch-Jaeger
Color	metal clad
Mounting Type	Miscellaneous
Product Main Type	Universal module, RJ 45, cat. 6a iso, shielded
Product Name	Universal module, RJ 45, cat. 6a iso, shielded 1gang
Product Range	Flush-mounted installation boxes and inserts
Replaced Product ID (OLD)	0230-0-0414
RoHS Date	20111114

Certificates and Declarations (Document Number)

Declaration of	2CKA100000E4222
Conformity - CE	
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC001264 - Data communication connection box copper (twisted pair)
ETIM 6	EC001121 - Modular connector
ETIM 7	EC001121 - Modular connector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

0219-101-507

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic55 \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

Low Voltage Products and Systems \rightarrow Switch Assortments \rightarrow Flush Mounted VDE Range - Busch-Jaeger \rightarrow Design Allwetter 44 (IP 44) \rightarrow Flush Mounted Inserts \rightarrow RJ45 Connector Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Alpha \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Balance\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Busch-Dynasty\ \to\ Flush\ Mounted\ Inserts\ \to\ RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Impuls \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow RJ45\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow VDI\ -\ Voice\ /\ Data\ /\ Image\ Connectors \rightarrow RJ45\ Connector\ \rightarrow\ RJ45\ Connector\ -\ Flush\ Mounted\ \rightarrow\ RJ45\ Connector\ Inserts$

