

PRODUCT-DETAILS

0521 PZ-GS

0521 PZ-GS DIN profile-semi cylindrical lock lock mechanism, with 3 keys



Ogólne informacje

Extended Product Type	0521 PZ-GS
ID Produktu	2CKA000470A0021
Numer EAN	4011395668306
Opis katalogowy	0521 PZ-GS DIN profile-semi cylindrical lock lock mechanism, with 3 keys
Opis	Acc. to German Standard DIN 18252. Total length 40 mm for blind switches and push switches For inserts 2712/2713/2722/2723/2733 USL-101 and 2712/2733 SLW-5x.

Charakterystyka zamówienia

Numer EAN	4011395668306
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85389099

Wymiary

Waga produktu netto	0.148 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
---------------------------------	----------

Szerokość opakowania (poziom 1)	0.038 m
Wysokość opakowania (poziom 1)	0.022 m
Długość opakowania (poziom 1)	0.09 m
Waga opakowania brutto (poziom 1)	148 g
EAN opakowania (poziom 1)	4011395668306
Jednostka opakowania (poziom 2)	100 sztuka
Szerokość opakowania (poziom 2)	0.12 m
Wysokość opakowania (poziom 2)	0.12 m
Długość opakowania (poziom 2)	0.3 m
Waga opakowania brutto (poziom 2)	15 kg

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Brand / Label	Busch-Jaeger
Rodzaj montażu	Miscellaneous
Typ produktu	DIN profile-semi cylindrical lock
Nazwa produktu	DIN profile-semi cylindrical lock lock mechanism, with 3 keys
Product Range	Flush-mounted installation boxes and inserts
ID produktu zastąpionego	0470-0-0021
Data RoHS	19980620

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E0094
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000743 - Insert for lock system
ETIM 7	EC000743 - Insert for lock system
WEEE Category	Product Not in WEEE Scope

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Accessories → Accessories Mechanics

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Accessories → Accessories Mechanics

