


PRODUCT-DETAILS

2025 U

2025 U Card switch 10 A SP, with normally open contact (operating current)



Ogólne informacje

Extended Product Type	2025 U
ID Produktu	2CKA001012A1713
Numer EAN	4011395656808
Opis katalogowy	2025 U Card switch 10 A SP, with normally open contact (operating current)
Opis	Illuminable. With N terminal.

Charakterystyka zamówienia

Numer EAN	4011395656808
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85365080

Wymiary

Waga produktu netto	0.064 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania	10 sztuka
----------------------	-----------

(poziom 1)

Szerokość opakowania (poziom 1)	0.158 m
Wysokość opakowania (poziom 1)	0.076 m
Długość opakowania (poziom 1)	0.249 m
Waga opakowania brutto (poziom 1)	640 g

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Typ napędu	Hotel card
Napięcie pomocnicze AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Rodzaj montażu	Flush Mounted
Liczba biegunów	1
Typ produktu	Card switch 10 A
Nazwa produktu	Card switch 10 A SP, with normally open contact (operating current)
Product Range	Flush-mounted installation boxes and inserts
Prąd znamionowy (I_n)	10 A
Napięcie znamionowe (U_r)	230 V
ID produktu zastąpionego	1012-0-1713
Data RoHS	20160628
Surface Finishing	Surface protection: Untreated

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA100000E0022
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000029 - Push button
ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → Mechanical Special Switch Inserts

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switch Inserts

