


PRODUCT-DETAILS

2006/1 UC-95-507

2006/1 UC-95-507 Switch with rocker breaking circuit, 1-pole



General Information

Extended Product Type	2006/1 UC-95-507
Product ID	2CKA001012A2174
EAN	4011395159576
Catalog Description	2006/1 UC-95-507 Switch with rocker breaking circuit, 1-pole

Ordering

EAN	4011395159576
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Weight	0.07 kg
--------------------	---------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.184 m
Package Level 1 Height	0.116 m
Package Level 1 Depth / Length	0.268 m

Package Level 1 Gross
Weight

870 g

Environmental

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Actuator Type	Rocker/button
Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	château-black
Connection Type	Plug Clamp
Illumination	Non-illuminated
Lamp Type	Not included
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Switch with rocker
Product Name	Switch with rocker breaking circuit, 1-pole
Product Range	basic55®
Rated Current (I _n)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	1012-0-2174
RoHS Date	20160705
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0074
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

