


## PRODUCT-DETAILS

# 2712 U

## 2712 U Blind switch insert DP



### General Information

|                       |                                          |
|-----------------------|------------------------------------------|
| Extended Product Type | 2712 U                                   |
| Product ID            | 2CKA001101A0534                          |
| EAN                   | 4011395040805                            |
| Catalog Description   | 2712 U Blind switch insert DP            |
| Long Description      | With rotary knob/switch and push switch. |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 4011395040805 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85365080      |

### Dimensions

|                    |          |
|--------------------|----------|
| Product Net Weight | 0.082 kg |
|--------------------|----------|

### Container Information

|                         |          |
|-------------------------|----------|
| Package Level 1 Units   | 10 piece |
| Package Level 1 Width   | 0.16 m   |
| Package Level 1 Height  | 0.077 m  |
| Package Level 1 Depth / | 0.291 m  |

Length

Package Level 1 Gross

820 g

Weight

## Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Additional Information

|                                 |                                                          |
|---------------------------------|----------------------------------------------------------|
| Actuator Type                   | Turn button                                              |
| Auxiliary Voltage AC/DC         | 250 V AC/DC                                              |
| Brand / Label                   | Busch-Jaeger                                             |
| Material                        | Material quality: Duroplast<br>Material: Plastic         |
| Mounting Type                   | Flush Mounted                                            |
| Number of Buttons               | 0                                                        |
| Number of Poles                 | 2                                                        |
| Product Main Type               | Blind switch insert                                      |
| Product Name                    | Blind switch insert DP                                   |
| Product Range                   | Flush-mounted installation boxes and inserts             |
| Rated Current (I <sub>n</sub> ) | 10 A                                                     |
| Rated Voltage (U <sub>r</sub> ) | 250 V                                                    |
| Replaced Product ID (OLD)       | 1101-0-0534                                              |
| RoHS Date                       | 19980620                                                 |
| Surface Finishing               | Surface protection: Untreated<br>Surface finishing: Matt |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CKA100000E0226 |
| RoHS Information               | 9AKK104295D8727 |

## Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000044 - Venetian blind switch/-push button              |
| ETIM 6        | EC000044 - Venetian blind switch/-push button              |
| ETIM 7        | EC000044 - Venetian blind switch/-push button              |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Switch Assortments → Blind & Venetian Control → Mechanical Blind / Venetian - Switch → Mechanical Blind / Venetian - Switch - Flush Mounted → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → Mechanical Blind / Venetian Inserts

