

PRODUCT-DETAILS

2733 SLW-53

2733 SLW-53 Key switch breaking circuit, 1-pole



General Information	
Extended Product Type	2733 SLW-53
Product ID	2CKA001101A0917
EAN	4011395992708
Catalog Description	2733 SLW-53 Key switch breaking circuit, 1-pole
Long Description	For profile semi-cylindrical lock. In switched-on and switched-off status the key can be pulled out in the central position, respectively. With labelling field. Labelling field 57.8 x 9.8 mm IP 44 only in combination with appropriate cylindrical locks.

EAN	4011395992708
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions	
Product Net Width	0.074 m
Product Net Height	0.083 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.166 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.219 m
Package Level 1 Height	0.117 m
Package Level 1 Depth / Length	0.386 m
Package Level 1 Gross Weight	1.66 kg

Environmental

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information	
Actuator Type	Key
Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	grey / blue-green
Connection Type	Screw
Degree of Protection	IP44
Illumination	Non-illuminated
Lamp Type	Not included
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Surface Mounted
Product Main Type	Key switch
Product Name	Key switch breaking circuit, 1-pole
Product Range	Flush-mounted installation boxes and inserts
Rated Current (I _n)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	1101-0-0917
RoHS Date	20160628
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)	
Declaration of	2CKA100000E0238
Conformity - CE	
Instructions and	DEBJE-0173-1-5614_ok
Manuals	
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000044 - Venetian blind switch/-push button
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

2733 SLW-53 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Mechanical\ Special\ Switches \rightarrow Mechanical\ Special\ Switches$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Surface\ Mounted\ Range \rightarrow Surface\ Ranges\ Waterproof\ IP44 \rightarrow Design\ Ocean \rightarrow Mechanical\ Special\ Switches$

