

PRODUCT-DETAILS

2733 SLW-54

2733 SLW-54 Key switch breaking circuit, 1-pole



Ogólne informacje

Extended Product Type	2733 SLW-54
ID Produktu	2CKA001101A0925
Numer EAN	4011395094624
Opis katalogowy	2733 SLW-54 Key switch breaking circuit, 1-pole
Opis	For profile semi-cylindrical lock. In switched-on and switched-off status the key can be pulled out in the central position, respectively. With labelling field. Labelling field 57.8 x 9.8 mm IP 44 only in combination with appropriate cylindrical locks.

Charakterystyka zamówienia

Numer EAN	4011395094624
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85365080

Wymiary

Szerokość produktu netto	0.074 m
Wysokość produktu netto	0.083 m
Głębokość produktu netto	0.055 m
Waga produktu netto	0.166 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	10 sztuka
Szerokość opakowania (poziom 1)	0.219 m
Wysokość opakowania (poziom 1)	0.117 m
Długość opakowania (poziom 1)	0.386 m
Waga opakowania brutto (poziom 1)	1.88 kg

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Typ napędu	Key
Napięcie pomocnicze AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Kolor	alpine white
Rodzaj podłączenia	Screw
Stopień ochrony obudowy	IP44
Illumination	Non-illuminated
Lamp Type	Not included
Materiał	Material quality: Thermoplastic Material: Plastic
Rodzaj montażu	Surface Mounted
Typ produktu	Key switch
Nazwa produktu	Key switch breaking circuit, 1-pole
Product Range	Flush-mounted installation boxes and inserts
Prąd znamionowy (I_n)	10 A
Napięcie znamionowe (U_r)	250 V
ID produktu zastąpionego	1101-0-0925
Data RoHS	20160705
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA100000E0244
Instrukcje i podręczniki	DEBJE-0173-1-5614_ok
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000044 - Venetian blind switch/-push button
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches

Produkty niskiego napięcia i systemy → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Ocean → Mechanical Special Switches

