

PRODUCT-DETAILS

2610/6 W-54

2610/6 W-54 Pull cord switch 1gang 2way



General Information

Extended Product Type	2610/6 W-54
Product ID	2CKA001383A0143
EAN	4011395079515
Catalog Description	2610/6 W-54 Pull cord switch 1gang 2way
Long Description	With screw-type terminals.

Ordering

EAN	4011395079515
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	0.074 m
Product Net Height	0.083 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.107 kg

Container Information

Package Level 1 Units	10 piece
-----------------------	----------

Package Level 1 Width	0.184 m
Package Level 1 Height	0.116 m
Package Level 1 Depth / Length	0.315 m
Package Level 1 Gross Weight	1.24 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Actuator Type	Pull cord
Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	alpine white
Connection Type	Plug Clamp
Degree of Protection	IP44
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Surface Mounted
Product Main Type	Pull cord switch
Product Name	Pull cord switch 1gang 2way
Product Range	carat®
Rated Current (I _n)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	1383-0-0143
RoHS Date	20160705
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0266
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 7	EC001590 - Switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Ocean → Mechanical Special Switches

