

PRODUCT-DETAILS

2621 AP

2621 AP Push-switch SP, with normally open contact (operating current)



General Information

Extended Product Type	2621 AP
Product ID	2CKA001442A0201
EAN	4011395053706
Catalog Description	2621 AP Push-switch SP, with normally open contact (operating current)
Long Description	With N terminal. Delivery without symbol

Ordering

EAN	4011395053706
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Weight	0.08 kg
--------------------	---------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.158 m
Package Level 1 Height	0.076 m
Package Level 1 Depth /	0.249 m

Length

Package Level 1 Gross

800 g

Weight

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Actuator Type	Rocker
Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	white
Material	Material quality: Duroplast Material: Plastic
Mounting Type	Surface Mounted
Number of Poles	1
Product Main Type	Push-switch
Product Name	Push-switch SP, with normally open contact (operating current)
Product Range	Surface-mounted IP 44
Rated Current (I _n)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	1442-0-0201
RoHS Date	20160628
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0318
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000029 - Push button
ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges IP20 → Design Busch - Duro 2000 → Mechanical Switch / Push Button

