

0.18 kg

PRODUCT-DETAILS

2621 WDI

Dimensions
Product Net Weight

2621 WDI Push-switch SP, with normally open contact (operating current)



General Information	
Extended Product Type	2621 WDI
Product ID	2CKA001483A0171
EAN	4011395056004
Catalog Description	2621 WDI Push-switch SP, with normally open contact (operating current)
Long Description	IP 66 only in connection with respective symbols. Delivery without symbol With N

EAN	4011395056004
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	0.184 m
Package Level 1 Height	0 116 m

Package Level 1 Depth / Length	0.315 m
Package Level 1 Gross	1.8 kg

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Actuator Type	Rocker
Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Degree of Protection	IP66
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Surface Mounted
Number of Poles	1
Product Main Type	Push-switch
Product Name	Push-switch SP, with normally open contact (operating current)
Product Range	Surface-mounted IP 44
Rated Current (In)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	1483-0-0171
RoHS Date	20160628
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0334
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000029 - Push button
ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Light\ /\ LoadControl \rightarrow Mechanical\ Switch\ /\ Push\ Button \rightarrow Mechanical\ Switch\ /\ Push\ Button -\ Flush\ Mounted \rightarrow Mechanical\ Switch\ /\ Push\ Button$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Surface\ Mounted\ Range \rightarrow Surface\ Ranges\ Waterproof\ IP44 \rightarrow Design\ Ocean \rightarrow Mechanical\ Switch\ /\ Push\ Button$

2621 WDI 3

