

PRODUCT-DETAILS

2621 WN-53-201

2621 WN-53-201 Push-switch 1gang 1way



General Information

Extended Product Type	2621 WN-53-201
Product ID	2CKA001484A0373
EAN	4011395993491
Catalog Description	2621 WN-53-201 Push-switch 1gang 1way
Long Description	SP (operating current), With N terminal. With 2 independent answering contacts. With labelling field. Labelling field 57.8 x 9.8 mm

Ordering

EAN	4011395993491
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

Dimensions

Product Net Width	0.074 m
Product Net Height	0.083 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.122 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.184 m
Package Level 1 Height	0.116 m
Package Level 1 Depth / Length	0.315 m
Package Level 1 Gross Weight	1.22 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Actuator Type	Rocker
Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	grey / blue-green
Degree of Protection	IP44
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Surface Mounted
Number of Poles	1
Product Main Type	Push-switch
Product Name	Push-switch 1gang 1way
Product Range	Surface-mounted IP 44
Rated Current (I _N)	10 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	1484-0-0373
RoHS Date	20160628
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0338
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000029 - Push button
ETIM 6	EC000029 - Push button
ETIM 7	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Ocean → Mechanical Switch / Push Button

