

PRODUCT-DETAILS

2542 DR/01-24G

2542 DR/01-24G Cover plate with rotary control, with marking



General Information

Extended Product Type	2542 DR/01-24G
Product ID	2CKA001710A3117
EAN	4011395990346
Catalog Description	2542 DR/01-24G Cover plate with rotary control, with marking
Long Description	As cover for flush mounted three-step rotary switch. With zero position. For insert 2710 U.

Ordering

EAN	4011395990346
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.025 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.154 m
Package Level 1 Height	0.074 m

Package Level 1 Depth / Length	0.191 m
Package Level 1 Gross Weight	250 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Brand / Label	Busch-Jaeger
Color	studio white
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Cover plate
Product Name	Cover plate with rotary control, with marking
Product Range	carat®
Replaced Product ID (OLD)	1710-0-3117
RoHS Date	19991207
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E0663
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → CoverPlates (partly incl. Insert) → Mechanical Special Switches

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches

