

PRODUCT-DETAILS

2542 DR/01-260

2542 DR/01-260 Cover plate with rotary control, with marking



Ogólne informacje

Extended Product Type	2542 DR/01-260
ID Produktu	2CKA001710A3464
Numer EAN	4011395020968
Opis katalogowy	2542 DR/01-260 Cover plate with rotary control, with marking
Opis	As cover for flush mounted three-step rotary switch. With zero position. For insert 2710 U.

Charakterystyka zamówienia

Numer EAN	4011395020968
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85389099

Wymiary

Waga produktu netto	0.025 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	10 sztuka
Szerokość opakowania	0.135 m

(poziom 1)

Wysokość opakowania (poziom 1)	0.076 m
Długość opakowania (poziom 1)	0.154 m
Waga opakowania brutto (poziom 1)	250 g

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Brand / Label	Busch-Jaeger
Kolor	palladium
Materiał	Material quality: Aluminium Material: Metal
Rodzaj montażu	Flush Mounted
Typ produktu	Cover plate
Nazwa produktu	Cover plate with rotary control, with marking
Product Range	carat®
ID produktu zastąpionego	1710-0-3464
Data RoHS	20010503
Surface Finishing	Surface protection: Anodised Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E0737
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → CoverPlates (partly incl. Insert) → Mechanical Special Switches

Produkty niskiego napięcia i systemy → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches

