

PRODUCT-DETAILS

2145 N

2145 N Symbol for push switch, transparent without symbol



General Information	
Extended Product Type	2145 N
Product ID	2CKA001714A0203
EAN	4011395076804
Catalog Description	2145 N Symbol for push switch, transparent without symbol
Long Description	For rocker 2520 For SM switch button 2601/. SK., For SM push button 2601

Ordering	
EAN	4011395076804
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions	
Product Net Weight	0.001 kg

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	0.12 m
Package Level 1 Height	0.02 m
Package Level 1 Depth /	0.12 m

Length

Package Level 1 Gross	6 g
Weight	

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Brand / Label	Busch-Jaeger
Color	clear-transparent
Mounting Type	Not article-related
Product Main Type	Symbol for push switch, transparent
Product Name	Symbol for push switch, transparent without symbol
Product Range	carat®
Replaced Product ID (OLD)	1714-0-0203
RoHS Date	19980620

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E1135
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000141 - Labelling material for domestic switching devices
ETIM 6	EC000141 - Labelling material for domestic switching devices
ETIM 7	EC000141 - Labelling material for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Categories

2145 N 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic55 \rightarrow Accessories\ \rightarrow\ Accessories\ Mechanics$

Low Voltage Products and Systems \rightarrow Switch Assortments \rightarrow Flush Mounted VDE Range - Busch-Jaeger \rightarrow Design Allwetter 44 (IP 44) \rightarrow Accessories \rightarrow Accessories Mechanics

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Alpha\ \to\ Accessories\ \to\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Accessories\ \rightarrow\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \rightarrow\ Design\ Busch-Balance\ SI\ \rightarrow\ Accessories\ \rightarrow\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Busch-Dynasty \rightarrow\ Accessories\ \rightarrow\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Accessories\ \rightarrow\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow Accessories\ \rightarrow\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Impuls \rightarrow Accessories\ \rightarrow\ Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Accessories \rightarrow Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Accessories \rightarrow Accessories\ Mechanics$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Accessories\ \rightarrow\ Accessories\ Mechanics$

