

PRODUCT-DETAILS

2147 U-215

2147 U-215 Cover plate with metal mounting plate



Ogólne informacje

Extended Product Type	2147 U-215
ID Produktu	2CKA001723A0170
Numer EAN	4011395081105
Opis katalogowy	2147 U-215 Cover plate with metal mounting plate
Opis	With fixing claws, loudspeaker inserts and cover. With soldering tag. For covering universal data communication connectors and circular connectors with screwed plug M 16x0.75 (installable in insert) in accordance with DIN 41524, 41529, 45322, 45327, 45328 and 45329.

Charakterystyka zamówienia

Numer EAN	4011395081105
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85366990

Wymiary

Waga produktu netto	0.066 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	10 sztuka
Szerokość opakowania (poziom 1)	0.16 m
Wysokość opakowania (poziom 1)	0.077 m
Długość opakowania (poziom 1)	0.291 m
Waga opakowania brutto (poziom 1)	674 g

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Dodatkowe informacje

Brand / Label	Busch-Jaeger
Kolor	black
Materiał	Material quality: Thermoplastic Material: Plastic
Rodzaj montażu	Flush Mounted
Typ produktu	Cover plate
Nazwa produktu	Cover plate with metal mounting plate
Product Range	carat®
ID produktu zastąpionego	1723-0-0170
Data RoHS	19980620
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E1188
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → CoverPlates (partly incl. Insert) → Loudspeaker Connector

Produkty niskiego napięcia i systemy → Switch Assortments → VDI - Voice / Data / Image Connectors → Loudspeaker Connector → Loudspeaker Connector - Flush Mounted → Loudspeaker Connector

