

PRODUCT-DETAILS

2530-212

2530-212 Cover plate with metal mounting plate



General Information

Extended Product Type	2530-212
Product ID	2CKA001724A0186
EAN	4011395081709
Catalog Description	2530-212 Cover plate with metal mounting plate
Long Description	For covering universal data communication connectors and circular connectors with screwed plug M 16x0.75 (installable in insert) in accordance with DIN 41524, 41529, 45322, 45327, 45328 and 45329. Knock-out openings 6, 8, 18 mm.

Ordering

EAN	4011395081709
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.06 kg
--------------------	---------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.158 m
Package Level 1 Height	0.076 m

Package Level 1 Depth / Length	0.249 m
Package Level 1 Gross Weight	600 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Brand / Label	Busch-Jaeger
Color	white
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Cover plate
Product Name	Cover plate with metal mounting plate
Product Range	carat®
Replaced Product ID (OLD)	1724-0-0186
RoHS Date	19980620
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E1202
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → CoverPlates (partly incl. Insert) → VDI Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → VDI Connector → VDI Connector - Flush Mounted → VDI Connector

