


PRODUCT-DETAILS

2105-35

2105-35 Rocker



General Information

Extended Product Type	2105-35
Product ID	2CKA001731A1676
EAN	4011395873304
Catalog Description	2105-35 Rocker
Long Description	For flush-mounted switch 2g 1w, 2g push switch. screwable (fixing element) Delivered with sealing ring. IP 44 only in conjunction with cover frames All Weather 44.

Ordering

EAN	4011395873304
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.052 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.158 m
Package Level 1 Height	0.076 m

Package Level 1 Depth / Length	0,249 m
Package Level 1 Gross Weight	520 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Brand / Label	Busch-Jaeger
Color	anthracite
Degree of Protection	IP44
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Rocker
Product Name	Rocker
Product Range	carat®
Replaced Product ID (OLD)	1731-0-1676
RoHS Date	19980620
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E1616
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000011 - Cover plate for switches/push buttons/dimmers/venetian blind
ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

