

PRODUCT-DETAILS

# 3048/21

# 3048/21 Mounting set carat® flat 2gang



General Information		
Extended Product Type	3048/21	
Product ID	2CKA001740A0067	
EAN	8712507114921	
Catalog Description	3048/21 Mounting set carat® flat 2gang	
Long Description	For flat flush-mounted installation, stonework Suitable for cover frame ca consists of a flush-mounted box for brickwork 3040. With plastering moulc and positioning device. With integrated RFID-chip for easy detection. With v adjustable rotary ring. With Torx/slotted screws. With variable basemen	

Mounting boxes are combinable directly. With flex knockouts for cables or pipes. The boxes need to be plastered. Hole size: 82 mm

Ordering	
EAN	8712507114921
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions	
Product Net Length	144 mm
Product Net Weight	0.064 kg

#### **Container Information**

Package Level 1 Units	1 piece
Package Level 1 Width	0.105 m
Package Level 1 Height	0.108 m
Package Level 1 Depth / Length	0.175 m
Package Level 1 Gross Weight	132 g
Package Level 1 EAN	8712507114921

#### **Environmental**

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information	
Brand / Label	Busch-Jaeger
Design	Built-in installation box (device box)
Interior Depth	52 mm
Material	Plastic
Mounting Type	Flush Mounted
Product Main Type	Mounting set carat® flat
Product Name	Mounting set carat® flat 2gang
Product Range	carat®
Replaced Product ID (OLD)	1740-0-0067
RoHS Date	20120228
Shape	Round
Surface Finishing	Untreated
Tube Diameter	20/25 mm

## **Certificates and Declarations (Document Number)**

Declaration of Conformity - CE	2CKA200000E1754
Instructions and Manuals	DEBJE-Entwurf Set Mauerdose_3
RoHS Information	9AKK104295D8727

Classifications	
ETIM 5	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 6	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

### **Categories**

3048/21 3

