

PRODUCT-DETAILS

2561-214

2561-214 Cover plate



General Information

Extended Product Type	2561-214
Product ID	2CKA001753A3833
EAN	4011395458808
Catalog Description	2561-214 Cover plate
Long Description	For 1 modular jack. Suitable for Art. Nos. 0210, 0211 and 0219-101. Without claws.

Ordering

EAN	4011395458808
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.04 kg
--------------------	---------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.135 m
Package Level 1 Height	0.076 m
Package Level 1 Depth /	0.154 m

Length

Package Level 1 Gross Weight	400 g
Package Level 2 Units	100 piece
Package Level 2 Width	0.293 m
Package Level 2 Height	0.171 m
Package Level 2 Depth / Length	0.393 m
Package Level 2 Gross Weight	4.362 kg
Package Level 3 Units	4000 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.005 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	194.48 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Brand / Label	Busch-Jaeger
Color	alpine white
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Cover plate
Product Name	Cover plate
Product Range	carat®
Replaced Product ID (OLD)	1753-0-3833
RoHS Date	19980620
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E2313
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → CoverPlates (partly incl. Insert) → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

