


PRODUCT-DETAILS

1819

1819 Mounting plate with orange base



General Information

Extended Product Type	1819
Product ID	2CKA001753A8056
EAN	4011395132333
Catalog Description	1819 Mounting plate with orange base
Long Description	For 2 modular jack inserts. For system: LexCom 150 and LexCom 250. Pitch dimensions: (WxH) approx. 15.4 x 15.4 mm. Without claws.

Ordering

EAN	4011395132333
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.031 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.124 m
Package Level 1 Height	0.092 m

Package Level 1 Depth / Length	0.114 m
Package Level 1 Gross Weight	310 g
Package Level 2 Units	100 piece
Package Level 2 Width	0.193 m
Package Level 2 Height	0.139 m
Package Level 2 Depth / Length	0.593 m
Package Level 2 Gross Weight	3.1 kg
Package Level 3 Units	5600 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.123 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	190.24 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Brand / Label	Busch-Jaeger
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Mounting plate
Product Name	Mounting plate with orange base
Product Range	Flush-mounted installation boxes and inserts
Replaced Product ID (OLD)	1753-0-8056
RoHS Date	20091102
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E2411
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector Inserts

