

PRODUCT-DETAILS

1743/10-04-214

1743/10-04-214 Cover plate 50 x 50 mm,



General Information

Extended Product Type	1743/10-04-214
Product ID	2CKA001753A8659
EAN	4011395805107
Catalog Description	1743/10-04-214 Cover plate 50 x 50 mm,
Long Description	As cover for 4gang Satellite co-axial socket outlet SAT400/EAS/DC, EAS 405, 413 DAS from Ankaro. Only suitable with adapter ring Art. No. 1746-... , in the design without hinged lid.

Ordering

EAN	4011395805107
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.012 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.135 m
Package Level 1 Height	0.076 m

Package Level 1 Depth / Length	0.154 m
Package Level 1 Gross Weight	120 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Brand / Label	Busch-Jaeger
Color	alpine white
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Product Main Type	Cover plate
Product Name	Cover plate 50 x 50 mm,
Product Range	carat®
Replaced Product ID (OLD)	1753-0-8659
RoHS Date	19980620
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E2436
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000018 - Insert/cover for communication technology
ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → CoverPlates (partly incl. Insert) → TV / Radio / SAT Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → TV / Radio / SAT Connector → TV / Radio / SAT Connector - Flush Mounted → TV / Radio / SAT Connector

