

PRODUCT-DETAILS

2300 EUC-95-507

2300 EUC-95-507 SCHUKO® socket outlet with screw-type terminals



General Information

Extended Product Type	2300 EUC-95-507
Product ID	2CKA002011A6147
EAN	4011395161753
Catalog Description	2300 EUC-95-507 SCHUKO® socket outlet with screw-type terminals
Long Description	DP (2 P + E)

Ordering

EAN	4011395161753
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Weight	0.076 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.158 m
Package Level 1 Height	0.076 m
Package Level 1 Depth /	0.249 m

Length	
Package Level 1 Gross Weight	760 g

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0 mA
-------------------------------------	------

Additional Information

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	château-black
Connection Type	Screw
Frequency (f)	50...50 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Number of Phases	1
Product Main Type	SCHUKO® socket outlet
Product Name	SCHUKO® socket outlet with screw-type terminals
Product Range	carat®
Rated Current (I _N)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2011-0-6147
RoHS Date	20140708
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E2793
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 →
CoverPlates (partly incl. Insert) → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets -
Flush Mounted → Single Socket Outlets

