

## PRODUCT-DETAILS

# 20 EUCBUSB-884-500

## 20 EUCBUSB-884-500 SCHUKO® USB socket outlet shuttered



### General Information

|                       |                                                                                                                                                                                                                                                                                                |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 20 EUCBUSB-884-500                                                                                                                                                                                                                                                                             |
| Product ID            | 2CKA002011A6182                                                                                                                                                                                                                                                                                |
| EAN                   | 4011395164617                                                                                                                                                                                                                                                                                  |
| Catalog Description   | 20 EUCBUSB-884-500 SCHUKO® USB socket outlet shuttered                                                                                                                                                                                                                                         |
| Long Description      | With screwless terminals. DP (2 P + E) For supply and support of mobile devices via USB-cable. With USB female connector type A. With electronic short-circuit protection. With electronic overload protection. Simultaneous charging via USB connection and use of the SCHUKO® socket outlet. |

### Ordering

|                              |                 |
|------------------------------|-----------------|
| E-Number (Sweden)            | 1815193         |
| EAN                          | 4011395164617   |
| Minimum Order Quantity       | 1 piece         |
| Customs Tariff Number        | 85366990        |
| Replacement Product ID (NEW) | 2CKA002011A6278 |

### Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 0.071 m |
| Product Net Height         | 0.071 m |
| Product Net Depth / Length | 0.053 m |

|                    |         |
|--------------------|---------|
| Product Net Weight | 0.16 kg |
|--------------------|---------|

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 0.088 m       |
| Package Level 1 Height         | 0.075 m       |
| Package Level 1 Depth / Length | 0.096 m       |
| Package Level 1 Gross Weight   | 160 g         |
| Package Level 1 EAN            | 4011395164617 |

## Environmental

|             |                                                                 |
|-------------|-----------------------------------------------------------------|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|-----------------------------------------------------------------|

## Technical UL/CSA

|                                     |      |
|-------------------------------------|------|
| Short-Circuit Current Rating (SCCR) | 0 mA |
|-------------------------------------|------|

## Additional Information

|                           |                                                          |
|---------------------------|----------------------------------------------------------|
| Auxiliary Voltage AC/DC   | 250 V AC/DC                                              |
| Brand / Label             | ABB                                                      |
| Color                     | studio white matt                                        |
| Connection Type           | Plug Clamp                                               |
| Degree of Protection      | IP20                                                     |
| Frequency (f)             | 50...50 Hz                                               |
| Material                  | Material quality: Thermoplastic<br>Material: Plastic     |
| Mounting Type             | Flush Mounted                                            |
| Number of Phases          | 1                                                        |
| Product Main Type         | SCHUKO® USB socket outlet                                |
| Product Name              | SCHUKO® USB socket outlet shuttered                      |
| Product Range             | carat®                                                   |
| Rated Current ( $I_n$ )   | 16 A                                                     |
| Rated Voltage ( $U_r$ )   | 250 V                                                    |
| Replaced Product ID (OLD) | 2011-0-6182                                              |
| RoHS Date                 | 20160412                                                 |
| Surface Finishing         | Surface protection: Lacquered<br>Surface finishing: Matt |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CKA100000E0552 |
| RoHS Information               | 9AKK104295D8727 |

## Classifications

|        |                          |
|--------|--------------------------|
| ETIM 5 | EC000125 - Socket outlet |
| ETIM 6 | EC000125 - Socket outlet |

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 7        | EC000125 - Socket outlet                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality
- Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Socket Outlets with Advanced Functionality → Socket Outlets with Advanced Functionality - Flush Mounted → Socket Outlets With Advanced Functionality

