

PRODUCT-DETAILS

20-02 EUJ-96-507

20-02 EUJ-96-507 Double SCHUKO® socket outlets



General Information

Extended Product Type	20-02 EUJ-96-507
Product ID	2CKA002014A1478
EAN	4011395161043
Catalog Description	20-02 EUJ-96-507 Double SCHUKO® socket outlets
Long Description	With screwless terminals. DP (2 P + E) Suitable for 1gang flush-mounted boxes.

Ordering

EAN	4011395161043
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Weight	0.128 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.196 m
Package Level 1 Height	0.14 m
Package Level 1 Depth /	0.29 m

Length

Package Level 1 Gross

1.28 kg

Weight

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Short-Circuit Current

0 mA

Rating (SCCR)

Additional Information

Auxiliary Voltage AC/DC	250 V AC/DC
Color	chalet-white
Connection Type	Plug Clamp
Frequency (f)	50...50 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Number of Phases	1
Product Main Type	Double SCHUKO® socket outlets
Product Name	Double SCHUKO® socket outlets
Product Range	carat®
Rated Current (I _N)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2014-0-1478
RoHS Date	20110914
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E3015
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000330 - Socket outlet strip
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 →
CoverPlates (partly incl. Insert) → Double Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Double Socket Outlets → Double Socket Outlets -
Flush Mounted → Double Socket Outlets

