

## PRODUCT-DETAILS

# 20 MUCBUSB-884-500

## 20 MUCBUSB-884-500 Socket outlet with earthing pin



### Ogólne informacje

|                       |                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 20 MUCBUSB-884-500                                                                                                                                                                                                                                                                                                                                                |
| ID Produktu           | 2CKA002017A0896                                                                                                                                                                                                                                                                                                                                                   |
| Numer EAN             | 4011395229613                                                                                                                                                                                                                                                                                                                                                     |
| Opis katalogowy       | 20 MUCBUSB-884-500 Socket outlet with earthing pin                                                                                                                                                                                                                                                                                                                |
| Opis                  | With screwless terminals. Shuttered. DP (2 P + E) For supply and support of mobile devices via USB-cable. With USB female connector type A. With electronic short-circuit protection. With electronic overload protection. Simultaneous charging via USB connection and use of the SCHUKO® socket outlet. Suitable for the countries like Poland, Czech Republic. |

### Charakterystyka zamówienia

|                            |                 |
|----------------------------|-----------------|
| Numer EAN                  | 4011395229613   |
| Minimalna ilość zamówienia | 1 sztuka        |
| Kod taryfy celnej          | 85389099        |
| ID produktu zamiennego     | 2CKA002017A1893 |

### Wymiary

|                          |         |
|--------------------------|---------|
| Szerokość produktu netto | 0.071 m |
| Wysokość produktu netto  | 0.071 m |

|                          |         |
|--------------------------|---------|
| Głębokość produktu netto | 0.053 m |
| Waga produktu netto      | 0.16 kg |

## Informacje o pakowaniu

|                                      |               |
|--------------------------------------|---------------|
| Jednostka opakowania<br>(poziom 1)   | 1 sztuka      |
| Szerokość opakowania<br>(poziom 1)   | 0.088 m       |
| Wysokość opakowania<br>(poziom 1)    | 0.075 m       |
| Długość opakowania<br>(poziom 1)     | 0.096 m       |
| Waga opakowania brutto<br>(poziom 1) | 160 g         |
| EAN opakowania (poziom 1)            | 4011395229613 |

## Normy środowiskowe

|             |                                                                 |
|-------------|-----------------------------------------------------------------|
| Status RoHS | Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami |
|-------------|-----------------------------------------------------------------|

## Technical UL/CSA

|                                        |      |
|----------------------------------------|------|
| Short-Circuit Current<br>Rating (SCCR) | 0 mA |
|----------------------------------------|------|

## Dodatkowe informacje

|                               |                                                            |
|-------------------------------|------------------------------------------------------------|
| Napięcie pomocnicze<br>AC/DC  | 250 V AC/DC                                                |
| Brand / Label                 | ABB                                                        |
| Kolor                         | studio white matt                                          |
| Rodzaj podłączenia            | Plug Clamp                                                 |
| Stopień ochrony obudowy       | IP20                                                       |
| Częstotliwość (f)             | 50...50 Hz                                                 |
| Materiał                      | Material quality: Thermoplastic<br>Material: Plastic       |
| Rodzaj montażu                | Flush Mounted                                              |
| Liczba faz                    | 1                                                          |
| Typ produktu                  | Socket outlet                                              |
| Nazwa produktu                | Socket outlet with earthing pin                            |
| Product Range                 | USB charging devices                                       |
| Prąd znamionowy ( $I_n$ )     | 16 A                                                       |
| Napięcie znamionowe ( $U_r$ ) | 250 V                                                      |
| ID produktu zastąpionego      | 2017-0-0896                                                |
| Data RoHS                     | 20160623                                                   |
| Surface Finishing             | Surface protection: Untreated<br>Surface finishing: Glossy |

## Certyfikaty i deklaracje (Numer dokumentu)

|                                      |                 |
|--------------------------------------|-----------------|
| Arkusz danych, informacja techniczna | 2CKA000073B9557 |
| Deklaracja zgodności - CE            | 2CKA200000E3866 |
| Dane RoHS                            | 9AKK104295D8727 |

## Klasyfikacje

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000125 - Socket outlet                                   |
| ETIM 6        | EC000125 - Socket outlet                                   |
| ETIM 7        | EC000125 - Socket outlet                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Socket Outlets → Socket Outlets with Advanced Functionality → Socket Outlets with Advanced Functionality - Flush Mounted → Socket Outlets With Advanced Functionality

