

PRODUCT-DETAILS

## **20 EUKNBL-884**

# 20 EUKNBL-884 SCHUKO® socket outlet with hinged lid, labelling field and LED control light



General Information	
Extended Product Type	20 EUKNBL-884
Product ID	2CKA002018A1552
EAN	4011395229545
Catalog Description	20 EUKNBL-884 SCHUKO® socket outlet with hinged lid, labelling field and LED control light
Long Description	Shuttered. With screwless terminals. DP (2 P + E) with hinged lid Size of labelling field: $60 \times 9$ mm.

Ordering	
EAN	4011395229545
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990
Dimensions	
Product Net Weight	0.094 kg

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	0.16 m
Package Level 1 Height	0.077 m

Package Level 1 Depth / Length	0.291 m
Package Level 1 Gross Weight	1.056 kg
Package Level 2 Units	100 piece
Package Level 2 Width	0.393 m
Package Level 2 Height	0.176 m
Package Level 2 Depth / Length	0.596 m
Package Level 2 Gross Weight	11.218 kg
Package Level 3 Units	2700 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.149 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	244.36 kg

#### **Environmental**

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

#### Technical UL/CSA

Short-Circuit Current 0 mA Rating (SCCR)

#### **Additional Information**

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	studio white matt
Connection Type	Plug Clamp
Frequency (f)	5050 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Number of Phases	1
Product Main Type	SCHUKO® socket outlet
Product Name	SCHUKO® socket outlet with hinged lid, labelling field and LED control light
Product Range	carat®
Rated Current (In)	16 A
Rated Voltage (U <sub>r</sub> )	250 V
Replaced Product ID (OLD)	2018-0-1552
RoHS Date	20160624
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

### **Certificates and Declarations (Document Number)**

Declaration of Conformity - CE	2CKA100000E3169
RoHS Information	9AKK104295D8727

20 EUKNBL-884

Classifications	
ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Socket\ Outlets\ With\ Advanced\ Functionality$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Busch-Dynasty  $\rightarrow$  CoverPlates (partly incl. Insert)  $\rightarrow$  Socket Outlets With Advanced Functionality

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Socket\ Outlets\ With\ Advanced\ Functionality$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Socket\ Outlets\ With\ Advanced\ Functionality$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Socket\ Outlets\ With\ Advanced\ Functionality$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Solo  $\rightarrow$  CoverPlates (partly incl. Insert)  $\rightarrow$  Socket Outlets With Advanced Functionality

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Socket\ Outlets\ with\ Advanced\ Functionality \rightarrow Socket\ Outlets\ with\ Advanced\ Functionality$ 

