

0.122 kg

PRODUCT-DETAILS

Dimensions
Product Net Weight

20 EUKNBSL-884

20 EUKNBSL-884 SCHUKO® socket outlet with hinged lid and lock



General Information	
Extended Product Type	20 EUKNBSL-884
Product ID	2CKA002018A1565
EAN	4011395226131
Catalog Description	20 EUKNBSL-884 SCHUKO® socket outlet with hinged lid and lock
Long Description	Shuttered. With screwless terminals. DP (2 P + E) With different lock mechanism. Delivery includes 2 keys.

EAN	4011395226131
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	0.16 m
Package Level 1 Height	0.077 m

Package Level 1 Depth / Length	0.291 m
Package Level 1 Gross Weight	1.22 kg

Environmental

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Short-Circuit Current 0 mA Rating (SCCR)

Additional Information

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	studio white matt
Connection Type	Plug Clamp
Frequency (f)	5050 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Number of Phases	1
Product Main Type	SCHUKO® socket outlet
Product Name	SCHUKO® socket outlet with hinged lid and lock
Product Range	carat®
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2018-0-1565
RoHS Date	20160624
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of 2CKA100000E3181
Conformity - CE
RoHS Information 9AKK104295D8727

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

20 EUKNBSL-884

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Busch-Dynasty \rightarrow\ CoverPlates\ (partly\ incl.\ Insert) \rightarrow\ Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Single\ Socket\ Outlets \rightarrow Single\ Socket\ Outlets \rightarrow Flush\ Mounted \rightarrow Single\ Socket\ Outlets$

