

PRODUCT-DETAILS

2300-01 EAP-09-500

2300-01 EAP-09-500 SCHUKO® socket outlet shuttered



General Information

Extended Product Type	2300-01 EAP-09-500
Product ID	2CKA002044A0063
EAN	4011395222904
Catalog Description	2300-01 EAP-09-500 SCHUKO® socket outlet shuttered
Long Description	With screw-type terminals. DP (2 P + E)

Ordering

EAN	4011395222904
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Weight	0.11 kg
--------------------	---------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.158 m
Package Level 1 Height	0.076 m
Package Level 1 Depth /	0.249 m

Length	
Package Level 1 Gross Weight	1.1 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0 mA
-------------------------------------	------

Additional Information

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	white
Connection Type	Screw
Frequency (f)	50...50 Hz
Material	Material quality: Duroplast Material: Plastic
Mounting Type	Surface Mounted
Number of Phases	1
Product Main Type	SCHUKO® socket outlet
Product Name	SCHUKO® socket outlet shuttered
Product Range	carat®
Rated Current (I _N)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2044-0-0063
RoHS Date	19980620
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E3199
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges IP20 → Design Busch - Duro 2000 → Single Socket Outlets

