

PRODUCT-DETAILS

20-02 EAPKS

20-02 EAPKS Double SCHUKO® socket outlets shuttered

For sale but "Obsolete", replaced by



General Information

| | |
|-----------------------|---|
| Extended Product Type | 20-02 EAPKS |
| Product ID | 2CKA002055A0135 |
| EAN | 4011395644409 |
| Catalog Description | 20-02 EAPKS Double SCHUKO® socket outlets shuttered |
| Long Description | For vertical installation. With screwless terminals. DP (2 P + E) |

Ordering

| | |
|------------------------------|---------------|
| EAN | 4011395644409 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85366990 |
| Replacement Product ID (NEW) | 2TKA00003935 |

Dimensions

| | |
|--------------------|----------|
| Product Net Weight | 0.168 kg |
|--------------------|----------|

Container Information

| | |
|-----------------------|----------|
| Package Level 1 Units | 10 piece |
| Package Level 1 Width | 0.184 m |

| | |
|--------------------------------|------------|
| Package Level 1 Height | 0.116 m |
| Package Level 1 Depth / Length | 0.268 m |
| Package Level 1 Gross Weight | 1.7 kg |
| Package Level 2 Units | 100 piece |
| Package Level 2 Width | 0.393 m |
| Package Level 2 Height | 0.286 m |
| Package Level 2 Depth / Length | 0.596 m |
| Package Level 2 Gross Weight | 17.5 kg |
| Package Level 3 Units | 1200 piece |
| Package Level 3 Width | 0.8 m |
| Package Level 3 Height | 1.008 m |
| Package Level 3 Depth / Length | 1.2 m |
| Package Level 3 Gross Weight | 230 kg |

Environmental

| | |
|-------------|---|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|---|

Technical UL/CSA

| | |
|-------------------------------------|------|
| Short-Circuit Current Rating (SCCR) | 0 mA |
|-------------------------------------|------|

Additional Information

| | |
|---------------------------------|--|
| Auxiliary Voltage AC/DC | 250 V AC/DC |
| Brand / Label | Busch-Jaeger |
| Color | white |
| Connection Type | Plug Clamp |
| Frequency (f) | 50...50 Hz |
| Material | Material quality: Duroplast Material: Plastic |
| Mounting Type | Surface Mounted |
| Number of Phases | 1 |
| Product Main Type | Double SCHUKO® socket outlets |
| Product Name | Double SCHUKO® socket outlets shuttered |
| Product Range | Surface-mounted, dry |
| Rated Current (I _n) | 16 A |
| Rated Voltage (U _r) | 250 V |
| Replaced Product ID (OLD) | 2055-0-0135 |
| RoHS Date | 19980620 |
| Surface Finishing | Surface protection: Untreated Surface finishing: Glossy |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CKA100000E3208 |
| RoHS Information | 9AKK104295D8727 |

Classifications

| | |
|---------------|--|
| ETIM 5 | EC000125 - Socket outlet |
| ETIM 6 | EC000125 - Socket outlet |
| ETIM 7 | EC000125 - Socket outlet |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Double Socket Outlets → Double Socket Outlets - Flush Mounted → Double Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges IP20 → Design Busch - Duro 2000 → Double Socket Outlets

