

PRODUCT-DETAILS

## 20/20 EWSL-54

# 20/20 EWSL-54 2 SCHUKO® socket outlets



General Information	
Extended Product Type	20/20 EWSL-54
Product ID	2CKA002083A0836
EAN	4011395094662
Catalog Description	20/20 EWSL-54 2 SCHUKO® socket outlets
Long Description	With screwless terminals. 2 P + E, With 2 identical security locks in hinged lid and 2 identical keys. Cannot be screwed on or dismounted in closed condition. geminate approx. 200 different locks (unsorted),

EAN	4011395094662
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions	
Product Net Width	0.074 m
Product Net Height	0.083 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.297 kg

### **Container Information**

Package Level 1 Units	1 piece
Package Level 1 Width	0.124 m
Package Level 1 Height	0.092 m
Package Level 1 Depth / Length	0.114 m
Package Level 1 Gross Weight	343 g
Package Level 1 EAN	4011395094662

### **Environmental**

RoHS Status Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Technical UL/CSA

Short-Circuit Current 0 mA Rating (SCCR)

### **Additional Information**

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	alpine white
Connection Type	Plug Clamp
Degree of Protection	IP44
Frequency (f)	5050 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Surface Mounted
Number of Phases	1
Product Main Type	2 SCHUKO® socket outlets
Product Name	2 SCHUKO® socket outlets
Product Range	Surface-mounted IP 44
Rated Current (In)	16 A
Rated Voltage (U <sub>r</sub> )	250 V
Replaced Product ID (OLD)	2083-0-0836
RoHS Date	20160705
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

## **Certificates and Declarations (Document Number)**

Declaration of	2CKA100000E3253
Conformity - CE	
RoHS Information	9AKK104295D8727

#### Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

20/20 EWSL-54 3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Single\ Socket\ Outlets \rightarrow Flush\ Mounted \rightarrow Single\ Socket\ Outlets$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Surface\ Mounted\ Range \rightarrow Surface\ Ranges\ Waterproof\ IP44 \rightarrow Design\ Ocean \rightarrow Single\ Socket\ Outlets$ 

