

## PRODUCT-DETAILS

# 20/20 EWSL-54

## 20/20 EWSL-54 2 SCHUKO® socket outlets



### General Information

|                       |                                                                                                                                                                                                                 |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 20/20 EWSL-54                                                                                                                                                                                                   |
| Product ID            | 2CKA002083A0836                                                                                                                                                                                                 |
| EAN                   | 4011395094662                                                                                                                                                                                                   |
| Catalog Description   | 20/20 EWSL-54 2 SCHUKO® socket outlets                                                                                                                                                                          |
| Long Description      | With screwless terminals. 2 P + E, With 2 identical security locks in hinged lid and 2 identical keys. Cannot be screwed on or dismantled in closed condition. geminate approx. 200 different locks (unsorted), |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 4011395094662 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85366990      |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.074 m  |
| Product Net Height         | 0.083 m  |
| Product Net Depth / Length | 0.055 m  |
| Product Net Weight         | 0.297 kg |

### Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 0.124 m       |
| Package Level 1 Height         | 0.092 m       |
| Package Level 1 Depth / Length | 0.114 m       |
| Package Level 1 Gross Weight   | 343 g         |
| Package Level 1 EAN            | 4011395094662 |

## Environmental

|             |                                                                 |
|-------------|-----------------------------------------------------------------|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|-----------------------------------------------------------------|

## Technical UL/CSA

|                                     |      |
|-------------------------------------|------|
| Short-Circuit Current Rating (SCCR) | 0 mA |
|-------------------------------------|------|

## Additional Information

|                                 |                                                          |
|---------------------------------|----------------------------------------------------------|
| Auxiliary Voltage AC/DC         | 250 V AC/DC                                              |
| Brand / Label                   | Busch-Jaeger                                             |
| Color                           | alpine white                                             |
| Connection Type                 | Plug Clamp                                               |
| Degree of Protection            | IP44                                                     |
| Frequency (f)                   | 50...50 Hz                                               |
| Material                        | Material quality: Thermoplastic<br>Material: Plastic     |
| Mounting Type                   | Surface Mounted                                          |
| Number of Phases                | 1                                                        |
| Product Main Type               | 2 SCHUKO® socket outlets                                 |
| Product Name                    | 2 SCHUKO® socket outlets                                 |
| Product Range                   | Surface-mounted IP 44                                    |
| Rated Current (I <sub>n</sub> ) | 16 A                                                     |
| Rated Voltage (U <sub>r</sub> ) | 250 V                                                    |
| Replaced Product ID (OLD)       | 2083-0-0836                                              |
| RoHS Date                       | 20160705                                                 |
| Surface Finishing               | Surface protection: Untreated<br>Surface finishing: Matt |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CKA100000E3253 |
| RoHS Information               | 9AKK104295D8727 |

## Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000125 - Socket outlet                                   |
| ETIM 6        | EC000125 - Socket outlet                                   |
| ETIM 7        | EC000125 - Socket outlet                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Ocean → Single Socket Outlets

