

PRODUCT-DETAILS

20/2 EW/DVN-53

20/2 EW/DVN-53 SCHUKO® socket outlet
2gang with red hinged lids



General Information

Extended Product Type	20/2 EW/DVN-53
Product ID	2CKA002084A0700
EAN	4011395993323
Catalog Description	20/2 EW/DVN-53 SCHUKO® socket outlet 2gang with red hinged lids
Long Description	For horizontal installation. With screwless terminals. 2 P + E, Prewired With red hinged lid, EDP (RAL 6018). With labelling field. Labelling field 57.8 x 9.8 mm Continuous coloured marking (hinged lid and base).

Ordering

EAN	4011395993323
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Width	0.145 m
Product Net Height	0.083 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.24 kg

Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	0.188 m
Package Level 1 Height	0.112 m
Package Level 1 Depth / Length	0.314 m
Package Level 1 Gross Weight	1.2 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0 mA
-------------------------------------	------

Additional Information

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	grey / blue-green
Connection Type	Plug Clamp
Degree of Protection	IP44
Frequency (f)	50...50 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Surface Mounted
Number of Phases	1
Product Main Type	SCHUKO® socket outlet
Product Name	SCHUKO® socket outlet 2gang with red hinged lids
Product Range	Surface-mounted IP 44
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2084-0-0700
RoHS Date	20140909
Surface Finishing	Surface protection: Untreated Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E3265
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Ocean → Single Socket Outlets

