

PRODUCT-DETAILS

2399 UCKS-212

2399 UCKS-212 Socket outlet cover frame shuttered



General Information

Extended Product Type	2399 UCKS-212
Product ID	2CKA002099A0207
EAN	4011395068311
Catalog Description	2399 UCKS-212 Socket outlet cover frame shuttered
Long Description	For socket outlet insert 20 M-500.

Ordering

EAN	4011395068311
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.022 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.135 m
Package Level 1 Height	0.076 m
Package Level 1 Depth /	0.154 m

Length

Package Level 1 Gross

220 g

Weight

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Short-Circuit Current

0 mA

Rating (SCCR)

Additional Information

Auxiliary Voltage AC/DC

250 V AC/DC

Brand / Label

Busch-Jaeger

Color

white

Connection Type

Screw

Frequency (f)

50...50 Hz

Material

Material quality: Duroplast

Material: Plastic

Mounting Type

Flush Mounted

Number of Phases

1

Product Main Type

Socket outlet cover frame

Product Name

Socket outlet cover frame shuttered

Product Range

carat®

Rated Current (I_N)

16 A

Rated Voltage (U_r)

250 V

Replaced Product ID
(OLD)

2099-0-0207

RoHS Date

20040923

Surface Finishing

Surface protection: Untreated

Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of

2CKA200000E4086

Conformity - CE

RoHS Information

9AKK104295D8727

Classifications

ETIM 5

EC000125 - Socket outlet

ETIM 6

EC000125 - Socket outlet

ETIM 7

EC000125 - Socket outlet

WEEE Category

Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → CoverPlates (partly incl. Insert) → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

