

PRODUCT-DETAILS

2190 EUC-84

2190 EUC-84 13 A Switched socket outlet



General Information	
Extended Product Type	2190 EUC-84
Product ID	2CKA002190A0215
EAN	4011395122471
Catalog Description	2190 EUC-84 13 A Switched socket outlet
Long Description	1gang With screw-type terminals. SP switched Without claws. Only for mounting in

Ordering	
EAN	4011395122471
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions	
Product Net Weight	0.077 kg

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Width	0.165 m
Package Level 1 Height	0.085 m

Package Level 1 Depth / Length	0.246 m
Package Level 1 Gross Weight	860 g
Package Level 2 Units	100 piece
Package Level 2 Width	0.255 m
Package Level 2 Height	0.35 m
Package Level 2 Depth / Length	0.44 m
Package Level 2 Gross Weight	10.5 kg
Package Level 3 Units	1200 piece
Package Level 3 Width	1.5 m
Package Level 3 Height	0.94 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	177.5 kg

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Short-Circuit Current Rating (SCCR) 0 mA

Additional Information

Auxiliary Voltage AC/DC	250 V AC/DC
Brand / Label	Busch-Jaeger
Color	studio white
Connection Type	Screw
Frequency (f)	5050 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush Mounted
Number of Phases	1
Product Main Type	13 A Switched socket outlet
Product Name	13 A Switched socket outlet
Product Range	Hotel application
Rated Current (In)	13 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2190-0-0215
RoHS Date	20090211
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E3350
RoHS Information	9AKK104295D8727

2190 EUC-84 3

Classifications	
ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Busch-Dynasty \rightarrow\ CoverPlates\ (partly\ incl.\ Insert) \rightarrow\ Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Single\ Socket\ Outlets \rightarrow Flush\ Mounted \rightarrow Single\ Socket\ Outlets$

