

PRODUCT-DETAILS

2334 AG

2334 AG Socket outlet



General Information

Extended Product Type	2334 AG
Product ID	2CKA002381A0010
EAN	4011395252604
Catalog Description	2334 AG Socket outlet
Long Description	With hinged lid.

Ordering

EAN	4011395252604
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Weight	0.226 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.184 m
Package Level 1 Height	0.116 m
Package Level 1 Depth /	0.315 m

Length

Package Level 1 Gross

2.26 kg

Weight

Environmental

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Short-Circuit Current

0 mA

Rating (SCCR)

Additional Information

Auxiliary Voltage AC/DC

250 V AC/DC

Brand / Label

Busch-Jaeger

Color

grey

Connection Type

Screw

Degree of Protection

IP44

Frequency (f)

50...50 Hz

Material

Material quality: Duroplast
Material: Plastic

Mounting Type

Surface Mounted

Number of Phases

1

Product Main Type

Socket outlet

Product Name

Socket outlet

Product Range

Aluminium die-cast/special devices

Rated Current (I_N)

16 A

Rated Voltage (U_r)

250 V

Replaced Product ID
(OLD)

2381-0-0010

RoHS Date

19980620

Surface Finishing

Surface protection: Untreated
Surface finishing: Matt

Certificates and Declarations (Document Number)

Declaration of
Conformity - CE

2CKA100000E3363

RoHS Information

9AKK104295D8727

Classifications

ETIM 5

EC000125 - Socket outlet

ETIM 6

EC000125 - Socket outlet

ETIM 7

EC000125 - Socket outlet

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Surface Mounted

