

PRODUCT-DETAILS

2064 AG

2064 AG Socket outlet



General Information

Extended Product Type	2064 AG
Product ID	2CKA002581A0098
EAN	4011395256206
Catalog Description	2064 AG Socket outlet
Long Description	With thermoplastic hinged lid rectangular PVC entry

Ordering

E-Number (Sweden)	2408012
EAN	4011395256206
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Weight	0.268 kg
--------------------	----------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	0.184 m
Package Level 1 Height	0.116 m

Package Level 1 Depth / Length	0.315 m
Package Level 1 Gross Weight	2.8 kg
Package Level 2 Units	100 piece
Package Level 2 Width	0.393 m
Package Level 2 Height	0.331 m
Package Level 2 Depth / Length	0.596 m
Package Level 2 Gross Weight	26.81 kg
Package Level 3 Units	1200 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.143 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	341.72 kg

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Auxiliary Voltage AC/DC	415 V AC/DC
Brand / Label	Busch-Jaeger
Color	grey RAL 7035
Degree of Protection	IP44
Mounting Type	Miscellaneous
Product Main Type	Socket outlet
Product Name	Socket outlet
Product Range	Aluminium die-cast/special devices
Rated Current (I _N)	25 A
Replaced Product ID (OLD)	2581-0-0098
RoHS Date	19980620

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E4239
RoHS Information	9AKK104295D8727

Classifications

ETIM 5	EC000086 - Perilex socket outlet
ETIM 6	EC000086 - Perilex socket outlet
ETIM 7	EC000086 - Perilex socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Surface Mounted

