

PRODUCT-DETAILS

3120 EUCB-884

3120 EUCB-884 FI-SCHUKOMAT, SCHUKO® socket outlet (RCD) with earth leakage circuit breaker



Ogólne informacje

Extended Product Type	3120 EUCB-884
ID Produktu	2CKA003116A0670
Numer EAN	4011395229866
Opis katalogowy	3120 EUCB-884 FI-SCHUKOMAT, SCHUKO® socket outlet (RCD) with earth leakage circuit breaker
Opis	Shuttered. DP cut off (P,N) Without PE monitoring. With output terminals for connecting and protecting downstream SCHUKO® socket outlets. Rated actuating current: 30 mA. Release time: ≤ 30 ms. Short-circuit strength: 3000 A (with 25 A GL fuse). Current surge strength: 250 A (8/20) μs. With fixing claws. Rated frequency: 45-60 Hz.

Charakterystyka zamówienia

Numer EAN	4011395229866
Minimalna ilość zamówienia	1 sztuka
Kod taryfy celnej	85366990

Wymiary

Waga produktu netto	0.164 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
Szerokość opakowania (poziom 1)	0.088 m
Wysokość opakowania (poziom 1)	0.075 m
Długość opakowania (poziom 1)	0.096 m
Waga opakowania brutto (poziom 1)	164 g
EAN opakowania (poziom 1)	4011395229866
Jednostka opakowania (poziom 2)	10 sztuka
Szerokość opakowania (poziom 2)	0.18 m
Wysokość opakowania (poziom 2)	0.09 m
Długość opakowania (poziom 2)	0.385 m
Waga opakowania brutto (poziom 2)	1.82 kg

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	30 mA
--	-------

Dodatkowe informacje

Napięcie pomocnicze AC/DC	230 V AC/DC
Brand / Label	Busch-Jaeger
Kolor	studio white matt
Rodzaj podłączenia	Plug Clamp
Stopień ochrony obudowy	IP20
Częstotliwość (f)	50...50 Hz
Materiał	Material quality: Thermoplastic Material: Plastic
Rodzaj montażu	Flush Mounted
Liczba faz	1
Typ produktu	FI-SCHUKOMAT, SCHUKO® socket outlet (RCD)
Nazwa produktu	FI-SCHUKOMAT, SCHUKO® socket outlet (RCD) with earth leakage circuit breaker
Product Range	carat®
Prąd znamionowy (I_n)	16 A
Napięcie znamionowe (U_r)	230 V
ID produktu zastąpionego	3116-0-0670
Data RoHS	20160428
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności - CE	2CKA200000E4314
Dane RoHS	9AKK104295D8727

Klasyfikacje

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → CoverPlates (partly incl. Insert) → Socket Outlets With Advanced Functionality

Produkty niskiego napięcia i systemy → Switch Assortments → Socket Outlets → Socket Outlets with Advanced Functionality → Socket Outlets with Advanced Functionality - Flush Mounted → Socket Outlets With Advanced Functionality

