

PRODUCT-DETAILS

SAF/A1.0.1-24

SAF/A1.0.1-24 Room temperature controller and FanCoil control element ABB Tenton®



Ogólne informacje

Extended Product Type	SAF/A1.0.1-24
ID Produktu	2CKA006134A0348
Numer EAN	4011395252116
Opis katalogowy	SAF/A1.0.1-24 Room temperature controller and FanCoil control element ABB Tenton®
Opis	The control element is used in conjunction with the FCC / S FanCoil controller or the VC / S valve controller for temperature control.

Charakterystyka zamówienia

Numer EAN	4011395252116
Kod taryfy celnej	90321020
Minimalna ilość zamówienia	1 sztuka
E-Number (Finland)	2814601
E-Number (Sweden)	1739791

Wymiary

Waga produktu netto	0.092 kg
---------------------	----------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
EAN opakowania (poziom 1)	4011395252116
Długość opakowania (poziom 1)	0.095 m
Wysokość opakowania (poziom 1)	0.091 m
Szerokość opakowania (poziom 1)	0.038 m
Waga opakowania brutto (poziom 1)	92 g
Jednostka opakowania (poziom 2)	10 sztuka
Długość opakowania (poziom 2)	0.298 m
Wysokość opakowania (poziom 2)	0.112 m
Szerokość opakowania (poziom 2)	0.168 m
Waga opakowania brutto (poziom 2)	920 g
Jednostka opakowania (poziom 3)	1620 sztuka
Długość opakowania (poziom 3)	1.2 m
Wysokość opakowania (poziom 3)	1.158 m
Szerokość opakowania (poziom 3)	0.8 m
Waga opakowania brutto (poziom 3)	170 kg

Dane techniczne

Stopień ochrony obudowy	IP20
Rodzaj montażu	Surface Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Instrukcje i podręczniki	2CKA000173B9390
Deklaracja zgodności - CE	2CKA200000E4622
Dane RoHS	9AKK104295D8727

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Klasyfikacje

ETIM 6	EC001101 - Room temperature controller for bus system
ETIM 7	EC001101 - Room temperature controller for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

- Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Heating, Ventilation and Air Conditioning → Thermostats
- Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → User Operation - ABB-Tenton® → 10 fold
- Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → User Operation - ABB-Tenton® → 6 fold

