

PRODUCT-DETAILS

6136/APP-500

6136/APP-500 Busch-ControlTouch® house control, Infotainment, Entertainment



Ogólne informacje

Extended Product Type	6136/APP-500
ID Produktu	2CKA006136A0202
Numer EAN	4011395212929
Opis katalogowy	6136/APP-500 Busch-ControlTouch® house control, Infotainment, Entertainment

Opis

Simple KNX visualization for smartphones, tablets and Windows computers. MDRC devices with associated IOS and Android apps. Application for Windows computers. Easy control using intuitive navigation concept. Representation of individual operating pages with list view. Display of individual control pages with room images with small controls. Fully web-based commissioning with wizard function. Home automation, switching, dimming, blind, RTC control, scene/sequences, Sonos control element, timing, Philips Hue. Entertainment: Sonos - KNX bridging, multimedia integration via UPnP. Infotainment: monitoring of usage data for up to 3 years. Security: Video surveillance with IP cameras, notification via push notifications or e-mail (including a picture from an IP camera). Time programs and scenes can be created by the end customer. Presence simulation. . Access via KNXnet/IP tunnelling. Script editor for logic functions. LUA Script Editor. Highest degree of communication encryption between app, device and cloud. Compatible with ABB i-bus® KNX Control with smartphones and tablets via the ControlTouch app (Apple iOS /Google Android). External power supply: 5-36 VDC (SELV).

Charakterystyka zamówienia

Numer EAN	4011395212929
Kod taryfy celnej	85371091
Minimalna ilość zamówienia	1 sztuka
E-Number (Finland)	2815556
E-Number (Sweden)	1738962

Wymiary

Głębokość produktu netto	0.06 m
Wysokość produktu netto	0.09 m
Szerokość produktu netto	0.072 m
Waga produktu netto	0.1 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1 sztuka
EAN opakowania (poziom 1)	4011395212929
Długość opakowania (poziom 1)	0.12 m
Wysokość opakowania (poziom 1)	0.135 m
Szerokość opakowania (poziom 1)	0.108 m
Waga opakowania brutto (poziom 1)	254 g

Dane techniczne

Compatible Bus Systems	KNX
Stopień ochrony obudowy	IP20
Rodzaj montażu	Surface Mounted

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CKA001373B8903
Instrukcje i podręczniki	2CKA000173B8888
Deklaracja zgodności - CE	2CKA100000E1187
Dane RoHS	9AKK104295D8727

Normy środowiskowe

Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
-------------	---

Klasyfikacje

ETIM 5	EC001099 - System interface/media gateway for bus system
ETIM 6	EC001099 - System interface/media gateway for bus system
ETIM 7	EC001099 - System interface/media gateway for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Visualisation, Display and Signalling → Visualisation

