

PRODUCT-DETAILS

6155/40-500

6155/40-500 LED-Dimmer with constant curve, with power supply. 1-4 fold



General Information

Extended Product Type	6155/40-500
Product ID	2CKA006151A0256
EAN	4011395202111
Catalog Description	6155/40-500 LED-Dimmer with constant curve, with power supply. 1-4 fold
Long Description	Build-in LED-Dimmer for LED strips with constant curve. To control RGB or RGBW-LEDs. Summary of 2 x 2 channels for activating warm/cold white LED strips. Summary of 3 channels for activating an RGB LED strip. Summary of 4 channels for activating an RGBW LED strip. With integrated power adapter. Grouping of channels possible. Integrated load management for the automatic adaptation of the maximum current strength per channel depending on the channels used. With Master/Slave-function.

Ordering

EAN	4011395202111
Customs Tariff Number	85365080
Minimum Order Quantity	1 piece
E-Number (Finland)	2814590
E-Number (Sweden)	1739121

Dimensions

Product Net Depth / Length	0.226 m
Product Net Height	0.045 m
Product Net Width	0.053 m

Product Net Weight	0.351 kg
--------------------	----------

Container Information

Package Level 1 Units	1 piece
Package Level 1 EAN	4011395202111
Package Level 1 Depth / Length	0.252 m
Package Level 1 Height	0.05 m
Package Level 1 Width	0.058 m
Package Level 1 Gross Weight	400 g

Technical

Compatible Bus Systems	KNX
Degree of Protection	IP20
Mounting Type	Built-in unit

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CKA001373B9109
Declaration of Conformity - CE	2CKA100000E1250
RoHS Information	9AKK104295D8727

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Classifications

ETIM 5	EC001095 - Light control unit for bus system
ETIM 6	EC001095 - Light control unit for bus system
ETIM 7	EC001095 - Light control unit for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Lighting Control → LED Dimmers

